



T-1 LIGHTING

Project	Catalog #
Distributor	Type
Prepared by	Date



WAVE WATER TIGHT SERIES

T1-WTLED

The Wave Series is an IP67 and IP69K protection grade lighting fixture with a sealed tubular design that withstands water penetration. The high impact resistant acrylic tube is sealed securely by fully gasketed end plates. This construction enables the integral parts to be insulated against moisture and dust making it ideal for food and beverage processing, refrigerated storage rooms, fishing boats and other wet areas.

SPECS

Model Number	Input Power	Color Temp	Input Voltage	Lumens	Efficacy	Temp	CRI	IP
T1-WTLED4/U/34-40	34	40	120-277V	4473	132	-40°C ~ +40°C -40°F ~ +104°F	>80	67 69K
T1-WTLED4/U/34-50		50		4527	133			
T1-WTLED8/U/80-40	80	40		10682	134			
T1-WTLED8/U/80-50		50		10811	135			
T1-WTLED8/U/160-40	160	40		21364	134			
T1-WTLED8/U/160-40		50		21622	135			

WARRANTY: SEVEN YEAR PARTS AND FIVE YEAR LABOR



SERIES	FORM FACTOR	WATTAGE	COLOR TEMP	VOLTAGE	DIMMING	MOUNTING
T1-WTLED	4/U/		40			
T1-WTLED	4 4' 8 8'	34 34W 80 80W 160 160W	40 4000K 50 5000K	[Blank] 120V-277V	[Blank] 0-10V	[Blank] Pendant Mount Option Aircraft Cable

ORDERING OPTIONS



T-1 LIGHTING


WAVE WATER TIGHT SERIES T1-WTLED




4 ft.




8 ft.



T1-WTLED4 (4')





T1-WTLED8 (8')





DIMENSIONS

PHOTOMETRIC DATA 34W



PHOTOMETRIC DATA 80W



PHOTOMETRIC DATA 160W

