DesignLights Consortium





Classification	Premium		
Primary Use	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires		
Reported Input Wattage	119.1 W		
Reported Light Output	16854 lm		
Reported CCT	3000 K		
Reported CRI (Ra)	83		
Product ID	S-L5EN73		
DLC Family Code	NNNPSM		
Listing Status	Listed		
Date Qualified	2023-08-04		

PRODUCT INFORMATION VIEW DETAILS

Solid State Lighting		
5.1		
S-L5EN73		
T-1 Lighting Inc.		
T-1 Lighting		
T1-DWPLED/H/MW120-MCCT-[Photocontrol, Blank]		
No		
Premium		
NNNPSM		
AC		

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires	
General Application	High Output	
Primary Use Designation	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires	

CONTROL FEATURES VIEW DETAILS

Integral Controls

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	16854 lm
Reported Efficacy (AC)	141.5 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	83
Reported R9	6
Reported IES Rf	84
Reported IES Rg	93
Reported IES Rcs,h1	-12
Reported Minimum Light Output	11320 lm
Reported Maximum Light Output	16854 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	16854 lm
Reported BUG Rating	B1 U5 G5

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	119.1 W
Reported Total Harmonic Distortion	16.5 %
Reported Power Factor	0.97
Reported Minimum Input Wattage	80 W
Reported Maximum Input Wattage	119.1
Reported Default Input Wattage	119 W
Voltage Range	277-480 V

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

VERSION HISTORY VIEW DETAILS

2023-08-04	Listed	5.1	Premium
------------	--------	-----	---------