

DesignLights Consortium



Classification	Premium
Primary Use	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
Reported Input Wattage	60.3 W
Reported Light Output	8483 lm
Reported CCT	3000 K
Reported CRI (Ra)	83
Product ID	S-JUR2VG
DLC Family Code	NNNPSM
Listing Status	Listed
Date Qualified	2023-08-04

PRODUCT INFORMATION VIEW DETAILS

Qualified Product List	Solid State Lighting
Technical Requirements Version	5.1
Product ID	S-JUR2VG
Manufacturer	T-1 Lighting Inc.
Brand	T-1 Lighting
Model Number	T1-DWPLED/H/MW60-MCCT-[Photocontrol, Blank]
Parent	Yes
Classification	Premium
DLC Family Code	NNNPSM
Input Power Type	AC

PRODUCT CATEGORIZATION VIEW DETAILS

Category	Outdoor Luminaires
General Application	Mid Output
Primary Use Designation	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires

CONTROL FEATURES VIEW DETAILS

Integral Controls	Yes
-------------------	-----

Dimming Capability and Range	Continuous Dimming to 10% or below
Integral Control Capability	No Control Capability
Sensor Type	No Sensor
SSL V5 Wired Communication Protocol	0-10V Analog
SSL V5 Wireless Communication Protocol	No Wireless Protocol
Field Adjustable Light Output	Yes
White-Tunable	Yes
Warm-Dimming	No
Field Adjustable Light Distribution	No

REPORTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Reported Light Output	8483 lm
Reported Efficacy (AC)	140.8 lm/W
Reported CCT	3000 K
Reported CRI (Ra)	83
Reported R9	6
Reported IES Rf	84
Reported IES Rg	93
Reported IES Rcs,h1	-12
Reported Minimum Light Output	4224 lm
Reported Maximum Light Output	8483 lm
Reported Minimum CCT	3000 K
Reported Maximum CCT	5000 K
Reported Default Light Output	8483 lm
Reported BUG Rating	B1 U4 G4

REPORTED ELECTRICAL PERFORMANCE VIEW DETAILS

Reported Input Wattage	60.3 W
Reported Total Harmonic Distortion	12.8 %
Reported Power Factor	0.96
Reported Minimum Input Wattage	30 W
Reported Maximum Input Wattage	60.3
Reported Default Input Wattage	60 W
Voltage Range	277-480 V

TESTED PHOTOMETRIC PERFORMANCE VIEW DETAILS

Tested Light Output	8483 lm
---------------------	---------

Tested Efficacy (AC)	140.8 lm/W
Tested CCT	2971 K
Tested CRI (Ra)	83
Tested R9	6
Tested IES Rf	84
Tested IES Rg	93
Tested IES Rcs,h1	-12 %
Tested Duv	0.00058
Tested Backlight (TM-15 BUG)	1
Tested BUG Rating	B1 U4 G4

TESTED ELECTRICAL PERFORMANCE VIEW DETAILS

Tested Voltage	120
Tested Input Wattage	60.3 W
Tested Total Harmonic Distortion	12.8 %
Tested Power Factor	0.962

PHOTOMETRIC IMAGES AND FILES VIEW DETAILS

SPDX File	Download File
-----------	-------------------------------

VERSION HISTORY VIEW DETAILS

2023-08-04	Listed	5.1	Premium
------------	--------	-----	---------